

100X500

# WE ARE



**TO CREATE AN EMINENT ART WORK,  
A CONVICTION FROM WITHIN AND MULTITUDE IS REQUIRED.**

With an aim to luxuriate a space with excellence and unique surfaces, Panda has designated a young team of common interests which is proactively involved in creation of innovation in the ceramic tiles industry. The productive process is meticulously followed by our highly qualified staff, advanced technology, finest raw material with the consideration of the sustainable environmental compliances.

Panda is the pioneer of the subway porcelain floor and wall tiles with grey body and beautiful glazes in India. It offers an aspiring combination of irresistible looks with the most advanced technology. A versatile enduring range of subway tiles ranging from plain edge to Curve Edge, random punches complements its aesthetics. The art of imagination is reflected in our exquisite and durable products range with 8mm thickness. It is recommended for indoor and outdoor, commercial and residential application. Panda has aggregate manufacturing capacity of 40 thousand sq.ft per day.

# CONVINCED



**SPARK OF  
CREATIVITY  
AND  
IMAGINATION**





# INDEX



- 1 BARKWOOD
- 2 NEXO
- 3 RAGNO
- 4 WOODMILL
- 5 ZEBRANO





BLACK



AQUA



WHITE



BROWN



PUNCH



# BARKWOOD

48 RANDOM FACES | MATT STRUCTURE | 100X500 mm | VITRIFIED BODY

# 1



BLACK



WHITE



PUNCH



# NEXO

8 RANDOM FACES | MATT STRUCTURE | 100X500 mm | VITRIFIED BODY

# 2



# RAGNO

# 3

25 RANDOM FACES | MATT STRUCTURE | 100X500 mm | VITRIFIED BODY

PINK



BLUE



GREEN



PUNCH





# WOODMILL

# 4

24 RANDOM FACES | MATT STRUCTURE | 100X500 mm | VITRIFIED BODY



WOODMILL



PUNCH







ZEBRANO



PUNCH



# ZEBRANO

50 RANDOM FACES | MATT STRUCTURE | 100X500 mm | VITRIFIED BODY

# 5



# PACKAGING


	PLAIN EDGE
SIZE (MM/INCHES)	100X500 / 4”X20”
THICKNESS	8mm
PCS. PER BOX	20
SQ. FEET PER BOX	10.76
SQ. METER PER BOX	1.0
WEIGHT PER BOX(KG)	17.00







LONG  
DURABILITY



EASY TO  
CLEAN



IMPACT  
RESISTANCE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



CHEMICAL  
RESISTANCE



FROST  
RESISTANCE



LOW WATER  
ABSORPTION


# TECHNICAL



DIMENSIONAL  
STABILITY



NON  
RECTIFIED



THERMAL  
RESISTANCE



CRAZING  
RESISTANCE

# SPECIFICATIONS





RESIDENTIAL



COMMERCIAL  
BUILDING



HOTEL,  
RESTAURANT



HOSPITAL



AIRPORT



SCHOOL,  
COLLEGE



GYMNASIUM



HALL &  
CORRIDOR



MALL & SUPER  
MARKET



INDUSTRY



SPA



RELIGIOUS  
PLACE

# SUITABLE

# APPLICATIONS



1000X500



22°41'56"N 70°56'22"E